

## Generalized Summary of Zoning Regulations

Information taken from http://cityplanning.lacity.org and http://planning.lacounty.gov/



LOREN GOLDMAN VICE PRESIDENT CELL 310.801.7030 CUSTOMER SERVICE 888.3?28.2652 Igoldman@firstam.com www.firstamlosangeles.com/Loren



First American Title™

## GENERALIZED SUMMARY OF ZONING REGULATIONS CITY OF LOS ANGELES

Zone	Use	Maximu	m Height	I	Required yard	S	Minimu	ım Area	Min. Lot Width	Parking Req'd.
		Stories	Feet	Front	Side	Rear	Per Lot	Per Dwelling Unit		Key u.
Agricultu										
A1	Agricultural One-Family Dwellings, Parks, Playgrounds, Community Centers, Golf Courses, Truck Gardening, Extensive Agricultural Uses, Home Occupations	Unlimited (8)	45 or(6),(8)	20% lot depth; 25 ft. max. or (6)	10% lot width; 25 ft. max. or (6)	25% lot depth; 25 ft.max.	5 acres	2.5 acres	300 ft.	2 spaces per dwelling unit (6)
A2	Agricultural A1 uses						2 acres	1 acre	150 ft.	
RA	Suburban Limited Agricultural Uses, One-Family Dwellings, Home Occupations,		45 or (6),(7),(8)	20% lot depth; 25 ft. max., but not less than prevailing (6)	10 ft. or 10% lot width < 70 ft. + 1 ft. for 3 stories or more (6),(7)		17,500 sq. ft. (1)	17,500 sq. ft. (1)	70 ft. (1)	2 covered spaces per dwelling unit (6)
Residenti	al Estate	I.		4		I.		1	I.	
RE40	Residential Estate One-Family Dwellings, Parks, Playgrounds, Community Centers, Truck Gardening, Accessory Living Quarters, Home Occupations	Unlimited (8)	45 or(6),(8)	20% lot depth; 25 ft. max., but not less than prevailing (6)	10 ft. min., + 1 ft. each story over 2nd (6)	25% lot depth; 25 ft. max.	40,000 sq. ft. (1)	40,000 sq. ft. (1)	80 ft. (1)	2 covered spaces per dwelling unit (6)
RE20			45 or(6),(7),(8)	-	10 ft. min., + 1 ft. each story over 2nd (6),(7)		20,000 sq. ft. (1)	20,000 sq. ft. (1)	80 ft. (1)	
RE15					10% lot width; 10 ft. max; 5 ft. min. + 1 ft. each story over 2nd (6),(7)		15,000 sq. ft. (1)	15,000 sq. ft. (1)	80 ft. (1)	-
RE11	_				10% lot width < 50 ft.; 3 ft. min. + 1 ft. each story over 2nd (6),(7)		11,000 sq. ft. (1)	11,000 sq. ft. (1)	70 ft. (1)	
RE9	_						9,000 sq. ft. (1)	9,000 sq. ft. (1)	65 ft. (1)	-
RS	Suburban One-Family Dwellings, Parks, Playgrounds, Community Centers, Truck Gardening, Home Occupations					20 ft. min.	7,500 sq. ft.	7,500 sq. ft.	60 ft.	
	ily Residential			1				r.		
R1	One-Family Dwelling RS Uses, Home Occupations	Unlimited (8)	45 or(6),(7),(8)	20% lot depth; 20 ft. max., but not less than prevailing (6)	10% lot width < 50 ft.; 5 ft.; 3 ft. min. + 1 ft. each story over 2nd	15 ft. min.	5,000 sq. ft.	5,000 sq. ft.	50 ft.	2 covered spaces per dwelling unit (6)
RU	_		30	10 ft.	(6),(7) 3 ft. (9)	10 ft.	3,500 sq. ft.	n/a	35 ft.	2 covered spaces per dwelling unit
RZ2.5	Residential Zero Side Yard Dwellings across not more than 5 lots (2), Parks, Playgrounds, Home Occupations		45 or(8)	10 ft. min.	zero (3); 3 ft. + 1 ft. for each story over 2nd	zero (3) or 15 ft.	2,500 sq. ft.		30 ft. w/ driveway, 25 ft. w/o driveway; 20 ft.–flag, curved or cul-de-sac	
RZ3	_						3,000 sq. ft.			
RZ4							4,000 sq. ft.	1		
RW1	One-Family Residential Waterways One-Family Dwellings, Home Occupations (10)		30		10% lot width; 3 ft. min.	15 ft. min	2,300 sq. ft.		28 ft.	

	Use	Maximur	n Height	F	Required yard	S	Minimu	um Area	Min. Lot Width	Parking Req'd.
Zone	-	Stories	Feet	Front	Side	Rear	Per Lot	Per D.U.		
Multiple	Residential		1	1			1			
R2	Two Family Dwellings R1 Uses. Home Occupations	Unlimited (8)	45 or (6),(7),(8)	20% lot depth; 20 ft. max., but not less than prevailing	10% lot width < 50 ft.; 5 ft.; 3 ft. min.; + 1 ft. for each story over 2nd	15 ft.	5,000 sq. ft.	2,500 sq. ft.	50 ft.	2 spaces, one covered
RD1.5	Restricted Density Multiple Dwelling One-Family Dwellings,Two-Family Dwellings, Apartment Houses, Multiple Dwellings, Home Occupations		45 or (6),(7),(8)	15 ft.	10% lot width < 50 ft.; 5 ft.; 3 ft. min.; + 1 ft. for each story over 2nd, not to exceed 16 ft. (6)	15 ft.	5,000 sq. ft.	1,500 sq. ft. 2,000 sq. ft.		1 space per unit < 3 habitable rooms; 1.5 spaces per unit = 3 habitable rooms; 2 spaces per unit > 3
RD3					10% lot width, 10 ft. max.; 5 ft. min., (6)		6,000 sq. ft.	3,000 sq. ft.	60 ft.	habitable rooms; uncovered (6) 1 space each guest room (first 30)
RD4							8,000 sq. ft.	4,000 sq. ft.		(
RD5				20 ft.	10 ft. min. (6)	25 ft.	10,000 sq. ft.	5,000 sq. ft.	70 ft.	
RD6							12,000 sq. ft.	6,000 sq. ft.		
RMP	Mobile Home Park Home Occupations		45 or (8)	20% lot depth 25 ft. max.	10 ft.	25% lot depth 25 ft. max.	20,000 sq. ft.	20,000 sq. ft.	80 ft.	2 covered spaces per dwelling
RW2	Two Family Residential Waterways One-Family Dwellings,Two-Family Dwellings, Home Occupations			10 ft. min.	10% lot width < 50 ft.; 3 ft. min.; + 1 ft. for each story over 2nd	15. ft.	2,300 sq. ft.	1,150 sq. ft.	28 ft.	_ unit
R3	Multiple Dwelling R2 Uses, Apt. Houses, Multiple Dwellings, Child Care (20 max.)			15 ft; 10 ft. for key lots	10% lot width < 50 ft., 3 ft. min.; 5 ft.; + 1 ft. for each story over 2nd, not to exceed 16 ft.	15 ft.	5,000 sq. ft.	800 sq. ft.; 500 sq. ft. per guest room	50 ft.	same as RD zones
RAS3	Residential/ Accessory R3 Uses, Limited ground floor commercial			5 ft., or average of adjoining buildings	0 ft. for ground floor commerc. 5 ft. for residential	15 ft. adjacent to RD or more restrictive zone; otherwise 5 ft		800 sq. ft.; 200 sq. ft. per guest room		
R4	Multiple Dwelling R3 Uses, Churches, Schools, Child Care, Homeless Shelter	Unlir (8	nited 3)	15 ft; 10 ft. for key lots	10% lot width < 50 ft.; 5 ft.; 3 ft. min.; + 1 ft. for each story over 2nd, not to exceed 16 ft.	5 ft. 15 ft. + 1 ft. for each story over 3rd; 20 ft. max.		400 sq. ft.; 200 sq. ft. per guest room		

Multiple Residential continued U

## Multiple Residential continued 1

RAS4	Residential/	Unlimited	5 ft., or	0 ft. for	15 ft.	5,000	400	50 ft.	same as
INAU4	Accessory	(8)	average	ground	adjacent	sq. ft.	sq. ft.; 200		RD zones
	R4 Uses,		of	floor	to RD or		sq. ft.		
	Limited ground floor		adjoining	commerc.	more		per		
	commercial		buildings	5 ft. for	restrictive		quest room		
			g-	residential	zone;		<b>J</b>		
					otherwise				
					5 ft.				
R5	Multiple Dwelling		15 ft;	10% lot	15 ft.		200		
113	R4 uses,		10 ft. for	width <	+ 1 ft. for		sq. ft.		
	Clubs, Lodges,		key lots	50 ft.;	each story				
	Hospitals,		.,	3 ft. min.;	over 3rd;				
	Sanitariums, Hotels			5 ft.;	20 ft. max.				
				+ 1 ft. for					
				each story					
				over 2nd,					
				not to					
				exceed					
				16 ft.					

Loading space is required for the RAS3, R4, RAS4, and R5 zones in accordance with Section 12.21 C 6 of the Zoning Code.

Open Space is required for 6 or more residential units in accordance with Section 12.21 G of the Zoning Code.

Passageway of 10 feet is required from the street to one entrance of each dwelling unit or guest room in every residential building, except for the RW, RU, and RZ zones, in accordance with Section 12.21 C2 of the Zoning Code.

Zone	Use	Maximu	n Height		Required yards	1	Minimum Area Per Lot/ Unit	Min. Lot Width	
		Stories	Feet	Front	Side	Rear			
Comme	ercial (see loading and parking,	next page)							
CR	Limited Commercial Banks, Clubs, Hotels, Churches, Schools, Business and Professional Colleges, Child Care, Parking Areas, R4 Uses	6 (8)	75 ft. (8)	10 ft. min.	10% lot width < 50 ft.; 10 ft.; 5 ft. min., for corner lots, lots adj. to A or R zone, or for residential uses	15 ft. min + 1 ft. for each story over 3rd	same as R4 for resid. uses; otherwise none	50 ft. for resid. uses; otherwise none	
C1	Limited Commercial Local Retail Stores < 100,000 sq. ft., Offices or Businesses, Hotels, Hospitals and/orClinics, Parking Areas, CR Uses Except forCurches, Schools, Museums, R3 Uses	-	nited 3)		same as R3 for corner lots, lots adjacent to A or R zone, or residential uses	15 ft. + 1 ft. for each story over 3rd; 20 ft. max for resid. uses or abutting A or R zone	same as R residenti otherwis	al uses;	
C1.5	Limited Commercial C1 Uses–Retail, Theaters, Hotels,Broadcasting Studios, Parking Buildings, Parks and Playgrounds, R4 Uses						same as R residenti otherwis	al uses;	
C2	Commercial C1.5 Uses; Retail w/Limited Manuf., Service Stations and Garages, Retail Contr. Business, Churches, Schools, Auto Sales, R4 Uses			none	same as R4 zo	mercial uses; ne for residential residential story	same as R4 for resid. uses; otherwise none	same as R4 for residential uses; otherwise none	
C4	Commercial C2 Uses with Llimitations, R4 Uses								
C5	Commercial C2 Uses, Limited Floor Area for Manuf. of CM Zone Type, R4 Uses								
СМ	Commercial Manufacturing Wholesale, Storage, Clinics, Limited Manuf., Limited C2 Uses, R3 Uses	-	nited 3)	none		nmercial uses; residential uses	use	3 for residential uses; wise none	

Loading Space: Hospitals, hotels, institutions, and every building were lot abuts an alley. Minimum loading space is 400 sq. ft.; additional space for buildings > 50,000 sq. ft. of floor area. None for apartment buildings < 30 units, in accordance with Section 12.21 C 6 of the Zoning Code.

Parking. See separate parking handout.

Zone	Use	Maximum Height				Minimum Area Per Lot/ Unit	Min. Lot Width	
		Stories	Feet	Front	Side	Rear		
Manufad	cturing							
MR1	Restricted Industrial CM Uses, Limited Commercial andManufacturing, Clinics, Media Products, Limited Machine Shops, Animal Hospitals and Kennels	unlin (8		5 ft. for lots <100 ft. deep; 15 ft. for lots >100 ft. deep	none for industrial or commercial uses;same as R4 zone for residential uses (5)	none for industrial or commercial uses; same as R4 zone for residential uses (5)	nonu indust commercial u R4 zo resident (5	rial or ses; same as ne for ial uses;
M1	Limited Industrial MR1 Uses, LimitedIndustrial and Manufacturing Uses, no R Zone Uses, no Hospitals, Schools, Churches, any Enclosed C2 Use, Wireless Telecommuni- cations, Household Storage	-		none	-			
MR2	Restricted Light Industrial MR1 Uses, Additional Industrial Uses, Mortuaries, Animal Keeping			5 ft. for lots <100 ft. deep; 15 ft. for lots >100 ft. deep			none indust commercial u R5 zo resident	rial or ses; same as ne for al uses;
M2	Light Industrial M1 and MR2 uses, Additional Industrial Uses, Storage Yards, Animal Keeping, Enclosed Composting, no R Zone Uses			none	same as R5 zone for residential uses (5)			
M3	Heavy Industrial M2 Uses, any Industrial I Uses, Nuisance Type Uses 500 ft. from any Other Zone, no R Zone Uses				nc	ne	no	ne

Loading Space: Institutions, and every building where lot abuts an alley. Minimum loading space is 400 sq. ft.; additional space for buildings > 50,000 sq. ft. of floor area. None for apartment buildings < 30 units, in accordance with Section 12.21 C 6 of the Zoning Code.

Parking. See separate parking handout.

Zone	Use	Maximum Height			Minimum Area Per Lot/ Unit	Min. LotWidth		
		Stories	Feet	Front	Side	Rear	_	
Parking								
Ρ	Automobile Parking– Surface and Underground Surface Parking; Land in a P Zone may also be Classified in A or R Zone	nderground     (8)     combination       ng;     with an A or R       one may also     Zone;		nc	one	none, unless A or R		
РВ	Parking Building P Zone Uses, Automobile Parking Within aBuilding			0 ft., 5 ft., or 10 ft., depending on zoning frontage and zoning across the street	2nd if abutting	5 ft. + 1 ft. each story above 2nd if abutting A or R Zone	non	е

Zone	Use	Maximum Height			Required yards	Minimum Area Per Lot/ Unit	Min. Lot Width	
		Stories	Feet	Front	Side	Rear		
Open Sp	ace/ Public Facilities/Sub	merged La	ands		•	•		
OS	Open Space Parks and Recreation Facilities, Nature Reserves, Closed Sanitary Landfill Sites, Public Water Supply Reservoirs, Water Conservation Areas	no	ne		none		noi	ne
PF	Public Facilities Agricultural Uses, Parking Under Freeways, Fire and Police Stations, Government Buildings, Public Libraries, Post Offices, Public Health Facilities, Public Elementary and Secondary Schools							
SL	Submerged Lands Navigation, Shipping, Fishing, Recreation							

(1) "H" Hillside areas may alter these requirements in the RA-H or RE-H zones. Subdivisions may be approved with smaller lots, provided larger lots are also included. Section 17.05 H 1 of the Zoning Code.

(2) Section 12.08.3 B 1 of the Zoning Code.

(3) Section 12.08.3 C 2 and 3 of the Zoning Code.

(4) Section 12.09.5 C of the Zoning Code. For 2 or more lots the interior side yards may be eliminated, but 4 ft. is required on each side of the grouped lots.

(5) Section 12.17.5 B 9 (a). Dwelling considered as accessory to industrial use only (watchman or caretaker including family.)
(6) Height, yard and parking requirements for single family dwellings may be governed by the Hillside Ordinance, Section 12.21 A 17 of the Zoning Code.

Height Districts

(7) Side yard requirements for single family dwellings not in Hillside Areas or Coastal Zone may be governed by the "Big House" Ordinance, ord. 169,775, which has been codified in the yard requirements sections for the relevant zones.

			Height	Districts			
Zone	1‡	1L ‡	1VL ‡	1XL ‡	2	3	4
A1§, A2§, RE40§, RZ, RMP, RW2, RD, R3, RAS3 RE11 §, RE15 §, RE20 §, RA	45' 3:1 FAR 36' 3:1 FAR		45' 3 stories † 3:1 FAR 36' 3 stories † 3:1 FAR	30' 2 stories † 3:1 FAR	6 stories for RD,RAS3 and R3†; otherwise 6:1 FAR 6:1 FAR	6 stories for RD,RAS3 and R3†; otherwise 10:1 FAR 10:1 FAR	6 stories for RD,RAS3 and R3†; otherwise 13:1 FAR 13:1 FAR
§* R1§, R2, RS §, RE9 §* PB	3:1	3' FAR 75'	33' 3 stories † 3:1 FAR 45'	30'	2020	2020	2020
РВ	none 2 stories	2 stories	2 stories	2 stories	none 6 stories	none 10 stories	none 13 stories
R4, RAS4, R5	none 3:1 FAR	75' 6 stories † 3:1 FAR	45' 3 stories † 3:1 FAR	30' 2 stories † 3:1 FAR	none 6:1 FAR	none 10:1 FAR	none 13:1 FAR
С, М	1.5:1 FAR	75' 6 stories † 1.5:1 FAR	45' 3 stories † 1.5:1 FAR	30' 2 stories † 1.5:1 FAR	75' for CR; otherwise none 6:1 FAR	75' for CR; otherwise none 10:1 FAR	75' for CR; otherwise none 13:1 FAR
РВ	2 stories	2 stories	2 stories	2 stories	6 stories	10 stories	13 stories

(8) Height District (Section 12.21.1 of the Zoning Code) [see below for (9), (10)]:

FAR-Floor Area Ratio

\* Prevailing Height in accordance with the 3rd unnumbered paragraph of Section 12.21.1 of the Zoning Code may apply.

+ Buildings used entirely for residential (and ground floor commercial in RAS zones) are only limited as to height, not stories.

‡ Floor area in height district 1 in other than C and M zones is limited to 3:1 FAR.

§ Height limited to 36' or 45' in Hillside Areas in accordance with Section 12.21 A 17 of the Zoning Code.

For CRA height districts, see Section 12.21.3 of the Zoning Code. For EZ height districts, see Section 12.21.4 for the Zoning Code. For CSA height districts, see Section 12.21.5 of the Zoning Code. For Century City North (CCN) and Century City South (CCS) height districts, see Section 12.21.2 of the Zoning Code and the Specific Plans.

(9) The side yard on one side of the lot may be reduced to zero provided that the remaining side yard is increased to 6 ft., in accordance with Section 12.08.1 C 2 of the Zoning Code.

(10) Specific requirements for open space, rear yards, and projections into front yards are in Section 12.08.5 C of the Zoning Code.

Transitional Height: Portions of buildings in C or M zones within certain distances of RW1 or more restrictive zones shall not exceed the following height limits, in accordance with Section 12.21.1 A 10 of the Zoning Code: Distance (ft) Height (ft)

	Teight
0–49	25
50–99	33
100–199	61

## Zone Prefixes (Section 12.32 of the Zoning Code)

(T), [T], T	Tentative Zone Classification	City Council requirements for public improvements as a result of a zone change–see Council File
(Q), [Q], Q	Qualified Classification	Restrictions on property as a result of a zone change, to ensure compatibility with surrounding property
D	Development Limitation	Restricts heights, floor area ratio, percent of lot coverage, building setbacks

**Other Zoning Designations** 

Supplemental Use Districts-to regulate uses which cannot adequately be provided for in the Zoning Code (Section 13.00 of the Zoning Code)

(			
CA	Commercial and Artcraft	ADP	Alameda District Specific Plan
CDO	Community Design Overlay	CCS	Century City South Studio Zone
FH	Fence Height	CSA	Centers Study Area
G	Surface Mining	CW	Central City West Specific Plan
К	Equinekeeping	GM	Glencoe/Maxella Specific Plan
MU	Mixed Use	HPOZ	Historic Preservation Overlay Zone
0	Oil Drilling	LASED	LA Sports & Entertainment S.P.
POD	Pedestrian Oriented District	OX	Oxford Triangle Specific Plan
RPD	Residential Planned Development	PKM	Park Mile Specific Plan
S	Animal Slaughtering	PV	Playa Vista Specific Plan
SN	Sign	WC	Warner Center Specific Plan

THIS SUMMARY IS ONLY A GUIDE. DEFINITIVE INFORMATION SHOULD BE OBTAINED FROM THE ZONING CODE ITSELF AND FROM CONSULTATION WITH THE DEPARTMENT OF BUILDING AND SAFETY.